

CIR-181506/2021-AZOXYSTROBIN + PROPICONAZOLE (SE) (428)-1368

**AZOXYSTROBIN 7.1% + PROPICONAZOLE 11.9 % W/W SE**

**( Fungicide )**

Azoxystrobin 7.1 % + Propiconazole 11.9% w/w SE is a suspo-Emulsion Azoxystrobin 7.1% (a.i) and Propiconazole 11.9%( a.i) in the formulation. It is used for the control of sheath blight on Rice.

Caution :- Not to be used on crops other then specified on this Lable/Leaflet.

**Recommendation**

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water (Liter)	Waiting Period between last spray to harvest (Days)	Re-entry after each Application (In Hours)
		AI (gm)	Formulation (ml)			
Rice	Sheath blight	37.5+62.5	500	500	43	-

**Direction of Use**

Measure out required quantity of the product Azoxystrobin 7.1%+ Propiconazole 11.9% w/w SE and mix it well with required quantity of water and spray by using hand operated knapsack sprayer with spray volume @ 500 L/ha. Equipments used in the application: Knapsack Sprayer.

**Time of Application**

-

**Precaution**

1. Avoid inhalation, skin or oral contact with fungicide. Do not chew tobacco, eat food or smoke while handling fungicide. 2. while handling fungicide use protective clothing. Rubber gloves, boots, face shield, overall rubber apron, hood or hat. 3. Wash hands and contaminated parts of body well with soap and plenty of water after handling this pesticides.

**Symptoms Of Poisoning**

if ingested, the early symptoms may be a combination of nausea, vomiting, diarrhea and abdominal pain.

**First Aid**

Remove the affective person to a well-ventilated area or fresh air protect him from undercooling. In case of skin contact: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. In case of eye contact Rinse eye with clean water for several minutes. In case of ingestions: Give the patient one or two glasses of water, if able to swallow. Do not induce vomiting. Get the attention of the medical doctor immediately. Note: Do not induce vomiting or never give anything by mouth to an unconscious person.

### **Phytotoxicity**

The product is not Phytotoxic when used as per recommendation.

### **Antidote**

No specific antidote is known. Treat symptomatic.

### **Disposal Of Used Container**

1. Packages or surplus materials and washing from the machines and containers should be disposed of in safe manner as to prevent environmental and water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation. DANGEROUS TO RE-USE EMPTY CONTAINERS.

### **Storage Conditions**

1. The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key. 2. The rooms or premises meant for storing the fungicides shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

### **Chemical Composition:**

---

Azoxystrobin (a.i)	7.1 % w/w
Propiconazole (a.i.)	11.9 % w/w
N-Octanol (solvent)	11.27 % w/w
Alcohol polyglycol ether (surfactant)	2.55 % w/w
Poly (oxy-1,2-ethanediyl) alpha-phenylomega-hydroxy-strenated (surfactant)	2.04 % w/w
2,4,6-Tris(1-phenylethyl) polyoxyethylenated phosphates (Dispersant)	0.51 % w/w
Polymethyl methacrylate-polyethylene glycol graft copolymer (Dispersant)	1.20 % w/w
Polydimethyl siloxane emulsion (Antifoam)	0.11 % w/w
1,2-benzisothiazolin-3-one (Stablizer)	0.01 % w/w
Propylene Glycol (Antifreeze)	4.76 % w/w
Xanthan gum (Stablizer)	15.24 % w/w
Water (Diluents)	Q.S. %

---

**Total:100.000 % w/w**

---