

CIR-181757/2021-TRICYCLAZOLE + TEBUCONAZOLE (SC) (428)-729

**TRICYCLAZOLE 18.0% + TEBUCONAZOLE 14.4% SC**

( Fungicide )

Tricyclazole 18.0% w/w (200 g/l)+Tebuconazole 14.4% w/w (160 g/l) SC is a broad spectrum fungicide containing 200 g of Tricyclazole and 160 g of Tebuconazole active ingredient per liter of the formulation. It is recommended for use as foliar spray or the control of sheath blight , leaf and neck blast, false smut and grain discoloration diseases in rice.

Warning :-

Product is toxic to fish and aquatic invertebrates and thus the product containing the molecules may be avoided near the aquaculture.

**Recommendation**

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water -	Waiting Period between last spray to harvest (Days)	Re-entry after each Application (In Hours)
		AI (gm)	Formulation (ml)			
Rice	Sheath blight, blast (Leaf and neck) false Smut and grain Discoloration	360	1000	-	25	-

**Direction of Use**

-

**Time of Application**

-

**Precaution**

Use good personal hygiene. keep out of reach of children. Do not swallow. Avoid contact with skin and clothing. Avoid breathing vapours and spray mist. Handle concentrate in ventilated area. Wash thoroughly with soap and water after handling and before eating, chewing gum, using tobacco, using the toilet or smoking. Keep away from food feed stuffs, and water supplies. store in original container in a wellventilated area.

**Symptoms Of Poisoning**

May cause nausea, headache, and vomiting. giddness, convulsion it is skin sensitizer.

**First Aid**

If inhaled move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth use rescuer protection pocket mask etc. In case of skin contact, take off contaminated clothing. Rinse skin immediately with plenty of water for

15-20 minutes. In case of eye contact hold eyes open and rinse slowly and gently with water for 15-20 minutes. In case of accidental ingestion call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

### **Phytotoxicity**

-

### **Antidote**

No specific antidote available. treat symptomatically.

### **Disposal Of Used Container**

Do not wash in to sewers or into any body of water. Containers and washing must be disposed of safely and in accordance with applicable regulations so as to prevent their environmental pollution, Do not re-use containers for any purpose.

### **Storage Conditions**

The package containing formulated grade fungicide should be stored in original containers in a separate room or almirah under lock and key in cool and dry place away from the reach of children food & animals feed and other articles. The premises should be well built, well lit, sufficient inn dimension and well ventilated.

### **Chemical Composition:**

---

Tricyclazole	18.0 % w/w
Tebuconazole	14.4 % w/w
Polydimethylsiloxane	0.08 % w/w
Propylene glycol	5.0 % w/w
1,2 benzisothiazolin-3-one	0.02 % w/w
Acrylic graft co-polymer	1.0 % w/w
Methacrylic acid styrene polymer salt	0.32 % w/w
Citric acid	0.23 % w/w
Silica dimethyl silylate	0.22 % w/w
Celluloses	0.46 % w/w
Xanthan gum	0.2 % w/w
Poly (Alkylene glycol copolymer)	2.0 % w/w
monobutyl ether	
Water	Q.S. %

---

**Total: 100.000% w/w**

---