

CIR-181750/2021-TRICYCLAZOLE (WG) (428)-728

TRICYCLAZOLE 70% WG

(Systemic Fungicide)

Tricyclazole 70% WG is a fungicide containing Tricyclazole as active ingredient. It is effective against Leaf and neck blast of Paddy.

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water (L)	Waiting Period between last spray to harvest (days)	Re-entry after each Application (In Hours)
		AI (g)	Formulation (g)			
Paddy	Blast (Leaf & Neck)	210	300	500	48	

Direction of Use

Plant Protection Equipment Used: Use manually operated knapsack sprayer or hand compression sprayer or foot sprayer or motorized sprayer etc.

Precaution

1. Keep away from foodstuffs, empty foodstuff containers and animal feeds.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation while spraying.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while spraying.

Symptoms Of Poisoning

Early symptoms may be any combination of headache, giddiness, nausea and convulsions if swallowed.

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
3. If eyes are contaminated, flush with plenty of clean water for about 10 to 15 minutes.
4. If inhaled, remove the patient to fresh air.

Phytotoxicity

Non-phytotoxic when used as recommended

Antidote

No specific antidote is known. Treat symptomatically.

Disposal Of Used Container

1. The packages containing the fungicides shall be stored in original containers in separate rooms or premises, away from the room or premises used for storing other articles or shall be kept separate under lock and key.
2. The room and premises meant for storing the fungicide shall be well built, dry, lit, ventilated and of sufficient dimension.

1. The packages shall be broken and buried away from habitation.
2. The used packages shall not be left outside to prevent their re- use.
3. Packages by surplus material and wrapping shall be disposed off in a safe manner so as to prevent environmental and water pollution.

Chemical Composition:

Tricyclazole a.i.		70.00 % w/w
Sodium Ligno Sulphonate	(Dispersing agent 1)	7.00 % w/w
Sodium alkyl naphthalene sulfonate, Formaldehyde condensate	(Dispersing agent 2)	6.50 % w/w
Sodium alkyl naphthalene sulfonate,	(Wetting agent)	1.50 % w/w
Polydimethyl siloxane	(Antifoaming agent)	0.20 % w/w
Silica	(Anti caking agent)	2.00 % w/w
Poly vinyl alcohol	(Binder 1)	1.00 % w/w
Sucrose	(Binder 2)	QS %
Total:		100.000% w/w